

Non Delivery Report

From: postmaster@reserve-group.com [postmaster@reserve-group.com]
Sent: 6/30/2020 9:12:38 PM
To: phil.jeanbaptiste@brooklynresource.com
Subject: Undeliverable: FW: Brooklyn Resource Recovery Section 114 EPA Information Request Letter
Attachments: FW: Brooklyn Resource Recovery Section 114 EPA Information Request Letter

Your message did not reach some or all of the intended recipients.

Subject:FW: Brooklyn Resource Recovery Section 114 EPA Information Request Letter
Sent:6/30/2020 9:13:07 PM

The following recipient(s) cannot be reached:

phil.jeanbaptiste@brooklynresource.com on 6/30/2020 9:13:07 PM
Diagnostic code = OrNameUnrecognized; Reason code = TransferFailed; Status code = 510
<#5.1.10 smtp;550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient not found by SMTP address lookup>

Delivery has failed to these recipients or groups:

phil.jeanbaptiste@brooklynresource.com (phil.jeanbaptiste@brooklynresource.com)

The email address you entered couldn't be found. Please check the recipient's email address and try to resend the message. If the problem continues, please contact your email admin.

Diagnostic information for administrators:

Generating server: RMG-EX5.reservemarine.local

phil.jeanbaptiste@brooklynresource.com
Remote Server returned '550 5.1.10 RESOLVER.ADR.RecipientNotFound; Recipient not found by SMTP address lookup'

Original message headers:

Received: from RMG-EX5.reservemarine.local (10.200.1.124) by
RMG-EX5.reservemarine.local (10.200.1.124) with Microsoft SMTP Server
(version=TLS1_2, cipher=TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256) id
15.1.1466.3; Tue, 30 Jun 2020 17:12:38 -0400
Received: from us-smtp-1.mimecast.com (207.211.31.120) by
RMG-EX5.reservemarine.local (10.200.1.124) with Microsoft SMTP Server id
15.1.1466.3 via Frontend Transport; Tue, 30 Jun 2020 17:12:38 -0400
ARC-Message-Signature: i=2; a=rsa-sha256; c=relaxed/relaxed;
d=dkim.mimecast.com; s=201903; t=1593551558;
h=from:from:reply-to:subject:subject:date:date:message-id:message-id;
to:to:cc:mime-version:mime-version:content-type:content-type;
dkim-signature; bh=APtdDguhQcD0nmY+VoSxgPhE4oVTfEpbgvJ2fUkiBzA=;
b=pHqAluSkLVhwd9D/hM1BOlgLnO+chRIkxFRQb8beniFf3FszGqWdMnEzoytZh2hH5cA8vH
YJHQUA9I3ad7KmtjyqyFEcTvtvBAoppX00zgLHusaEVNaz787xJTs/0pd24mBZhK5XTjP/

F/sNYO0MfQbXnAggNxxGqfTFofX811FvE3/RyXv6WKL9d2wmb6vIG7XAdFL1ZScsvnYhRk
aatY7N0syj4PLSF4AVFVIEY3+XnDyJjAHQpGLaPYlZamO197plcaWvzt2XhwbDTecgm1VR
nF+EDy3u6/tE7f34c6KRRKj/CJSbAP3zXSH0sON3OD3Tz1DfGDDCgc0jFrzO74g==
ARC-Seal: i=2; s=201903; d=dkim.mimecast.com; t=1593551558; a=rsa-sha256;
cv=fail;
b=j0GX31zrDe2bmrutQ3A/JnGPA3jwd7gSXpnlZwSuu9aE/ZvOg+Bz8n4kQWJXGjtGqj13Op
BJWzT33bge17hLPQyCeW42rcOL24pIXerifBK7HP49uZEI49V7PczE6Gxghlu0t1Th3yTI
rk7q1xMcPNBohtAWtQb6wjggShOmZfWLPoXNU1XPc7q1Mr7c+bE6x9WPP4y3un3/Jk5KiY
bY0JCHYPAE0BvjuSADULKRK8KUKSy//mUcW0rbaw1G5heQ9h0+Xxcqb+67TAUKgpJhiUeK
/VPMfhz5h7ozr+I5D+cAC1QioM9ezLzGBHY371kUDCe9K36hjAlHy9PwXb8b0w==
ARC-Authentication-Results: i=2;
relay.mimecast.com;
dkim=pass header.d=epa.gov header.s=selector2 header.b=NC+/E6L3;
dmarc=pass (policy=reject) header.from=epa.gov;
spf=pass (relay.mimecast.com: domain of cardile.joseph@epa.gov designates
40.107.91.108 as permitted sender) smtp.mailfrom=cardile.joseph@epa.gov
Received: from GCC02-DM3-obe.outbound.protection.outlook.com
(mail-dm3gcc02on2108.outbound.protection.outlook.com [40.107.91.108])
(Using TLS) by relay.mimecast.com with ESMTP id
us-mta-47-036DsGCaPNS91KXKqiYrWQ-1; Tue, 30 Jun 2020 17:12:36 -0400
X-MC-Unique: 036DsGCaPNS91KXKqiYrWQ-1
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=RCP5osqnmK5gkxFRDW3EdYL+cCgH6Gt0eH0IBsJPVAVoSIXs96suBWWnourbK9U2PJTUX2f02ybLb7EWX7w8h5b
26shGaDoLhk0Hwsfu5NJ5OFnwKwe8gs/yqpuFYcozpGAVugI81CYalJh1jLqAw0wwNTnB9wJeUKJzw9V9SQtCqsAZ3
4lsugB0gEIP56SPEOoCpTsh+MqNniMe0w/N9XQ+NLWx4kqSStA2gfkzdCEfVHnHDbLL+6JkidazU3X7V1bcDZhVuh
zF9lffBSpa9RpDKjzkDF0ehLAuK8E57PTciKDTwwm2741loqpGnXHMkCtXm9a+SRJz3Jp8DkR80LA==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
s=arcselector9901;
h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
bh=4Es7vBvzJKA18lJanUGbH/vCTuNRb/JrzV4kuzXRrs=;

b=d4iQxL59HpAoybNWHI4WD49S9CBksil4UUtZ5PCFBondMlrquqom/JEjUT5pBaO5pyITdOpuWFYVwlsppBidhGc
sQfLA4H9YgPcL0Fg4beYrj9t+6/SxgIatw5iqcy2wKXWrcbSeCZcteX3cANzz12PLTn3d7POxc/VDa06lnvzJrluB
ku/81226tSsh04JtKW3fCy5LQt1JTLz4je7DPzkJpYgptfMlrY8VpJQcXtZ0ry6ukc8ec//yHv8U7cABLYHUXu3bE
DyF5pJxapBx8zvURoweFffZ9C5Nj+nFjCWEp4zndV7PiN+U0PlxGHV9i3HPsMqRx6RqScI5oWWSjg==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
bh=4Bs7vBvzJKA18lJanUGbH/vCTuNRb/JrzV4kuzXRrs=;

b=NC+/E6L3X62FPH2J2tvvg0T8kr6LbZhvnjeQOCO7JQzW1TswKku+6uJ68AVD3qWPgQhDiwObD5YeVRW04bzEQQk1
pnSO6tUkOykgyfMjvt0JSLnwKamPdC9D2IUC3bF7Pa+qmgyefC1+T9w1/ug2r3seqArYXfGsb12qDvi+CCDc=
Received: from MN2PR09ME5962.namprd09.prod.outlook.com (2603:10b6:208:21e::13)
by MN2PR09MB4045.namprd09.prod.outlook.com (2603:10b6:208:1bc::24) with
Microsoft SMTP Server (version=TLS1_2,
cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3131.21; Tue, 30 Jun
2020 21:12:34 +0000
Received: from MN2PR09ME5962.namprd09.prod.outlook.com
([fe80::24d3:2750:41b1:606b]) by MN2PR09ME5962.namprd09.prod.outlook.com
([fe80::24d3:2750:41b1:606b%5]) with mapi id 15.20.3131.028; Tue, 30 Jun 2020
21:12:34 +0000
From: "Cardile, Joseph" <Cardile.Joseph@epa.gov>
To: "phil.jeanbaptiste@brooklynresource.com"
<phil.jeanbaptiste@brooklynresource.com>
Subject: FW: Brooklyn Resource Recovery Section 114 EPA Information Request
Letter
Thread-Topic: Brooklyn Resource Recovery Section 114 EPA Information Request
Letter
Thread-Index: Ad2PIye43sur/KpFT3WkW2cJ7Y5C9g==
Date: Tue, 30 Jun 2020 21:12:34 +0000

Message-ID:
<MN2PR09MB596200D06F542C762701681F8F6F0@MN2PR09MB5962.namprd09.prod.outlook.com>
Accept-Language: en-US
Content-Language: en-US
X-MS-Has-Attach: yes
X-MS-TNEF-Correlator:
x-originating-ip: [24.190.33.116]
x-ms-publictraffictype: Email
x-ms-office365-filtering-correlation-id: 60308alc-bbb1-4ae1-7a5d-08d81d3a4f08
x-ms-trafficdiagnostictype: MN2PR09MB4045;
x-microsoft-antispam-prvs:
<MN2PR09MB4045EEA0637E9AB1A37BB3538F6F0@MN2PR09MB4045.namprd09.prod.outlook.com>
x-ms-cob-tlc-cobclassifiers: OLM:5236;
x-forefront-prvs: 0450A714CB
x-ms-exchange-senderadcheck: 1
x-microsoft-antispam: ECL:0;
x-microsoft-antispam-message-info:
b/roluZZTQ8upu7mMs9Ezh4dD7zea5BDEP2TFFtWidMpU1W8yMJQFhtGZH8fsPq2Y/57NMVoJPgnElvg6EXfvZkz6
fnlKQeheX8TOj9TzCOZVnnsZ8+6AJ4QCPiGzu0sz0G3tWWHJ8CAF45P3K5fiqX4wDz294CW4zg32qEYwyC4oPLrUz
EME2MJIKQ3yvgYZbEODiHErenChVdv53Bl7mVxYjAxpX4xl2ND4MhFC3SaLVa7HmmlIF/HvkdJblrl19AV4uMwn2y
lCx7E4xDxmcBn6vf4cQFYMUtc8COG6X2NnSrtWC20+NoDL5AJ2mjNh3ky61/u+SswSwQGOJUJrw==
x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:en;SCL:1;SRV:;IPV:NLI;SEFV:NSPM;H:MN2PR09MB5962.namprd09.pr
od.outlook.com;PTR:;CAT:NONE;SEFTY:;SEF3:(136003)(39860400002)(366004)(346002)(376002)(3960
03)(66946007)(8936002)(33656002)(6916009)(4743002)(7696005)(2906002)(8676002)(316002)(863
62001)(66446008)(64756008)(66556003)(76116006)(52536014)(99936003)(66616009)(71200400001)
(83380400001)(5660300002)(9686003)(478600001)(55016002)(6506007)(26005)(186003)(66476007)
;DIR:OUT;SFP:1102;
x-ms-exchange-antispam-messagedata:
G/nxlrj3dF6mCJ/dqGJbGfNTm8Kjxgolw7j19Kn51hXMEpmYDKWlXMut2NEemlkxYEFntMvvlzPBOL5a6X+sTgrJ
lseM9sgjsD5qxUSK4V4mkTnhsbdk38QQL2MI45OCCfoQv5RTduANY7ZGOFozWOQLVFOMhY360i2kl2a/Is2LEVA9T
3TIW791Ssc2Cb4vXluOSWxiqys3Zai9K+ZPw6Rul7C2AkH/MUBA/Ynu8vXOuTH7X7Hauuc7WlbPX6DbFiCMwDVxMe
ocOue4G0/LiuZP+IwznE5pShoyUPIU4AGgzkpl/+CnzDPOCB+pzrM477P6iMmiNF1Qd4cUdAon7qibwfbFel8EAX
9Qftzs5ju+Ho9yQ98FJKDXvhC+qxSZLMOcdLhlqyyfW/7uE4DN9kO3nvupgg44tkjsjIAWcUDyncvKpx8IAfBpnKi
r3zcufqlCQu0SMV7U7Lrf858v4E7mg3I8GaV2vPAimJqL8=
x-ms-exchange-transport-forked: True
MIME-Version: 1.0
X-MS-Exchange-CrossTenant-AuthAs: Internal
X-MS-Exchange-CrossTenant-AuthSource: MN2PR09MB5962.namprd09.prod.outlook.com
X-MS-Exchange-CrossTenant-Network-Message-Id: 60308alc-bbb1-4ae1-7a5d-08d81d3a4f08
X-MS-Exchange-CrossTenant-originalarrivaltime: 30 Jun 2020 21:12:34.3402
(UTC)
X-MS-Exchange-CrossTenant-fromentityheader: Hosted
X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7
X-MS-Exchange-CrossTenant-mailboxtype: HOSTED
X-MS-Exchange-CrossTenant-userprincipalname:
CQ6c+SOjxdBRpqaj4Of/L7T9Th7p1L6jJenDWdJ8au52Lqz/LSlnAZuYMCfo5+JYU5jZJ1E41kMxlkmBHYLzIw==
X-MS-Exchange-Transport-CrossTenantHeadersStamped: MN2PR09MB4045
Authentication-Results: relay.mimecast.com;
dkim=pass header.d=epa.gov header.s=selector2 header.b=NC+/E6L3;
dmarc=pass (policy=reject) header.from=epa.gov;
spf=pass (relay.mimecast.com: domain of cardile.joseph@epa.gov designates
40.107.91.108 as permitted sender) smtp.mailfrom=cardile.joseph@epa.gov
X-Mimecast-Spam-Score: 0
Content-Type: multipart/mixed;
boundary="_004_MN2PR09MB596200D06F542C762701681F8F6F0MN2PR09MB5962nampr_"
Return-Path: cardile.joseph@epa.gov